INT. J. CONTROL, 1998, VOL. 70, NO. 6, 1019–1022

SUBJECT INDEX (Vol. 70)

Actuator and sensor selection for an active vehicle suspension aimed at robust performance, 703
Adaptive
  dynamical robust tracking for uncertain nonlinear systems, 921
  robust backstepping control schemes suitable for PM synchronous motors, 893
  tracking, stable, of uncertain systems, using nonlinearly parametrized on-line approximators, 363
Algorithm
  for local disturbance decoupling of nonlinear singular systems, 685
  iterative linear matrix inequality type, for static output feedback simultaneous stabilization, 803
  least squares training type, for multilayer nodal link perceptron network, 385
  numerical, for optimal control computation, finite/infinite horizon problem, LQ regulator with positive controls, 551
Almost diagonalization by dynamic output feedback with internal stability, 51
Aperiodicity robustness of characteristic equation, continuous and discrete systems, 193

Beam, flexible, spectral assignment method robustness, 859

Characteristic equation, aperiodicity robustness, continuous and discrete systems, 193
Closed-loop
  GPC system, stability results, 831
  system, robust stabilization by PID + Q controller, 631
Continuous and discrete
  systems, characteristic equation aperiodicity robustness, 193
  time systems, robust control-oriented identification, 319
  observations, Kalman filtering, 71
Control
  adaptive, of robotic systems, using structurally dynamic wavelet networks, 405
  dissipative, robust, for linear systems with dissipative uncertainty, 169
  feedback linearizing type, of discrete-time nonlinear systems with input constraints, 603
  GPC stability results, 831
  H_2/H_∞ mixed, for sampled-data systems, 579
  H_2-type, parametric, robust, design, with generalized multipliers, via LMI synthesis, 481
  H^∞ type, and J-lossless factorization, for discrete-time systems, 423
  H_∞ type, for systems with jumps, 941
  H_∞ type, synthesis via reduced-order LMIs, 85
  hierarchical $\mathcal{H}_\infty/\mathcal{H}_2$ optimal type, 2-block problem, 965
  nonlinear, the use of state feedback for handling disturbances, 761
  robust, of robots, using auxiliary polynomials, theory and experiment, 523
  schemes, adaptive robust backstepping type, suitable for PM synchronous motors, 893
  state feedback type, of discrete-event systems under partial observation, characterization of all M-controllable subpredicates of a given predicate, 541
  structure selection, decentralized Markov parameters, 815
Controller
  finite-dimensional state-variable feedback type, for time-lag system stabilization, perturbation approach, 789
  gain-scheduled type, design, analytical framework directly incorporating non-equilibrium dynamics, 249
  H_∞ type, digital redesign via bilinear approximation method for state-delayed systems, 665
  PID + Q type, robust stabilization of closed-loop systems, 631
  reduction using a new invariant set, 447
  robust, design under structured uncertainty, 721
Controllers, MIMO gain-scheduled type, realisation, 13

Deconvolution, prediction, filtering and smoothing in discrete H^∞ setting, game theory approach, 841
Design
  digital redesign of H_∞ controller via bilinear approximation method for state-delayed systems, 665
  gain-scheduled controller, analytical framework directly incorporating non-equilibrium plant dynamics, 249
  of robust controller, under highly structured uncertainty, 721
  parametric robust H_2 control, with generalized multipliers via LMI synthesis, 481
  PIP type, for delta operator MIMO systems, 149
  PIP type, for delta operator SISO systems, 123
  robust, digital, of power system stabilizers, 227
Digital redesign of H_∞ controller via bilinear approximation method for state-delayed systems, 665
Discrete and continuous
  systems, characteristic equation aperiodicity robustness, 193
  time systems, robust control-oriented identification, 319
  observations, Kalman filtering, 71

Discrete-event systems, under partial observation, characterization of all M-controllable subpredicates of a given predicate, 541
Discrete-time
linear invariant systems, frequency-weighted, method for identification and model reduction, 103
nonlinear systems with input constraints, feedback linearizing control, 603
systems, H^∞ control and J-lossless factorization, 423
Dissipative control, robust, for linear systems with dissipative uncertainty, 169
Disturbance
attenuation, robust, with stability, for class of uncertain singularly perturbed systems, 873
decoupling, local, of nonlinear singular systems, 685
Disturbances, handling in nonlinear control, the use of state feedback, 761
Dither stabilization of nonlinear large-scale systems, 203
Dynamical robust adaptive tracking for uncertain nonlinear systems, 921

Feedback
dynamic output type with internal stability, almost diagonalization, 51
linearizing control of discrete-time nonlinear systems with input constraints, 603
nonlinear, for linear systems, improvement of tracking performance, 1
of state, control of discrete-event systems under partial observation, characterization of all M-controllable subpredicates of a given predicate, 541
stabilization, output type, of SISO nonlinear systems via dynamic sliding modes, 735
static output type, for simultaneous stabilization, iterative linear matrix inequality algorithm, 803
Filtering, prediction, smoothing and deconvolution in discrete H^∞ setting, game theory approach, 841
Flight control tracking performance improvement, nonlinear feedback for linear systems, 1

Gain-scheduled
and nonlinear systems, dynamic analysis by velocity-based linearization families, 289
controller design, analytic framework directly incorporating non-equilibrium plant dynamics, 249
controllers, MIMO type, realisation, 13
Game theory approach to prediction, filtering, smoothing and deconvolution in discrete H^∞ setting, 841
Generalized state space systems, regular polynomial matrix descriptions, solvability, reachability, observability and controllability, 617

H_2 control design, parametric, robust, with generalized multipliers, via LMI synthesis, 481
H_2/H_∞ control problem for sampled-data systems, 579
H^∞
control, and J-lossless factorization, for discrete-time systems, 423
setting, discrete time-domain type, prediction, filtering, smoothing and deconvolution, game theory approach, 841
H_∞
control for systems with jumps, 941
control synthesis via reduced-order LMIs, 85
controller, digital redesign via bilinear approximation method for state-delayed systems, 665
$\mathcal{H}_\infty/\mathcal{H}_2$ optimal control, hierarchical, 2-block problem, 965
Hierarchical $\mathcal{H}_\infty/\mathcal{H}_2$ optimal control, 2-block problem, 965
Hybrid dynamical systems, safe implementation of supervisory commands, 271

Identification
frequency weighted, and model reduction, via extended impulse response Gramian, 103
robust control-oriented, of discrete- and continuous-time systems, 319

J-lossless factorization and H^∞ control for discrete-time systems, 423
Jumps systems chain, H_∞ control, 941

Kalman filtering with mixed discrete–continuous observations, 71

Linear
discrete time invariant systems, frequency-weighted, method for identification and model reduction, 103
quadratic regulator problem with positive controls, 551
systems, nonlinear feedback, tracking performance improvement, 1
systems with dissipative uncertainty, robust dissipative control, 169
systems with structured uncertainty and unmeasurable controlled output, robust output regulation by high gain observer approach, 505
Linearization family, velocity-based, for nonlinear gain-scheduled systems, 289
Lurie-type Lyapunov function approach for multimachine power systems with transfer conductances, 469
Lyapunov function, Lurie-type, for multi-machine power systems with transfer conductances, 469

Markov parameters, decentralized, selection of control structures, 815
Matrix almost diagonalization by dynamic output feedback with internal stability, 51
MIMO
delta operator systems, PIP design, 149
gain-scheduled controllers realisation, 13

Model reduction and identification, frequency weighted, via extended impulse response Gramian, 103
Modelling, controller reduction using a new invariant set, 447
Motors, PM synchronous type, adaptive robust backstepping control schemes, 893
Multilayer nodal link perceptron network with least squares training algorithm, 385
Multipliers, generalized stability type, real robustness bounds, 651

Network, structurally dynamic wavelet type, for adaptive control of robotic systems, 405
Neural regulators, receding-horizon type, nonlinear stabilization, 341
Nonlinear
  and gain-scheduled systems, dynamic analysis by velocity-based linearization families, 289
  control, the use of state feedback for handling disturbances, 761
  discrete-time systems with input constraints, feedback linearizing control, 603
  large-scale systems, dither stabilization, 203
  singular systems, local disturbance decoupling, 685
  stabilization by receding-horizon neural regulators, 341
  systems, SISO type, output feedback stabilization via dynamic sliding modes, 735
  uncertain systems, dynamical robust adaptive tracking, 921

Observations, mixed discrete-continuous, Kalman filtering, 71
Optimal hierarchical $\mathcal{H}_\infty/\mathcal{H}_2$ control, 2-block problem, 965
Output regulation, robust for linear systems with structured uncertainty and unmeasurable controlled output by high gain observer approach, 505

Parametric robust H_2 control design with generalized multipliers via LMI synthesis, 481
Perceptron network, multilayer nodal link type, with least squares training algorithm, 385
Perturbation approach to finite-dimensional stabilization of time-lag systems, 789
Pole placement map, decentralized, under constant output feedback, selection of control structures, 815
Polynomial matrix descriptions, regular, of generalized state space systems, solvability, reachability, observability and controllability, 617
Power
  system stabilizers, robust digital design, 227
  systems, multi-machine type, with transfer conductances, Lurie-type Lyapunov function approach, 469
Prediction, filtering, smoothing and deconvolution in discrete H^∞ setting, game theory approach, 841
Predictive control, GPC stability results, 831
Proportional-integral-plus design for delta operator
  MIMO systems, 149
  SISO systems, 123

Regulation, robust, of output, for linear systems with structured uncertainty and unmeasurable controlled output by high gain observer approach, 505
Regulator problem, linear quadratic type, with positive controls, 551
Regulators, neural, receding-horizon type, nonlinear stabilization, 341
Robotic systems, adaptive control using structurally dynamic wavelet networks, 405
Robots, robust control using auxiliary polynomials, theory and experiments, 523
Robust
  adaptive backstepping control schemes suitable for PM synchronous motors, 893
  adaptive dynamical tracking for uncertain nonlinear systems, 921
  control for robots using auxiliary polynomials, theory and experiments, 523
  control-oriented identification of discrete and continuous-time systems, 319
  controller design under highly structured uncertainty, 721
  digital design of power system stabilizers, 227
  dissipative control for linear systems with dissipative uncertainty, 169
  disturbance attenuation with stability for class of uncertain singularly perturbed systems, 873
  output regulation for linear systems with structured uncertainty and unmeasurable controlled output by high gain observer approach, 505
  stabilization of closed-loop systems by PID + Q controller, 631
Robustness
  bounds, real, using generalized stability multipliers, 651
  characteristic equation aperiodicity, continuous and discrete systems, 193
  of spectral assignment method applied to flexible beam, 859

Sampled-data systems, mixed H_2/H_∞ control problem, 579
Sensor and actuator selection for an active vehicle suspension aimed at robust performance, 703
Singular systems, nonlinear, local disturbance decoupling, 685
Singularly perturbed uncertain system class, robust disturbance attenuation with stability, 873
SISO
  delta operator systems, PIP design, 123
  nonlinear systems, output feedback stabilization via dynamic sliding modes, 735
Sliding modes, dynamic, used in the output feedback stabilization of SISO nonlinear systems, 735

Smoothing, prediction, filtering and deconvolution in discrete H^∞ setting, game theory approach, 841
Spectral assignment method robustness, applied to flexible beam, 859
Stability results for closed-loop GPC system, 831
Stabilization
  finite-dimensional, of time-lag systems, perturbation approach, 789
  nonlinear, by receding-horizon neural regulators, 341
  of nonlinear large-scale systems by dithers, 203
  robust, of closed-loop systems, by PID + Q controller, 631
  simultaneous, via static output feedback, iterative linear matrix inequality algorithm, 803
Stabilizers, for power systems, robust digital design, 227
Stable adaptive tracking of uncertain systems using nonlinearly parametrized on-line approximators, 363
State-delayed systems, digital redesign of H_∞ controller via bilinear approximation, 665
Supervisory commands, safe implementations, hybrid dynamical systems, 271

Time-lag systems, finite-dimensional stabilization, perturbation approach, 789
Tracking
  adaptive, stable, of uncertain systems, using nonlinearly parametrized on-line approximators, 363
  dynamical, robust, adaptive, for uncertain nonlinear systems, 921
  performance improvement, nonlinear feedback for linear systems, 1

Uncertain
  nonlinear systems, dynamical robust adaptive tracking, 921
  singularly perturbed systems class, robust disturbance attenuation with stability, 873
  systems, stable adaptive tracking, using nonlinearly parametrized on-line approximators, 363
Uncertainty
  highly structured, in design of robust controller, 721
  structured, of linear systems, robust output regulation by high gain observer approach, 505

Vehicle suspension, active, actuator and sensor selection aimed at robust performance, 703

INT. J. CONTROL, 1998, VOL. 70, NO. 6, 1023–1024

AUTHOR INDEX (Vol. 70)

AGAMENNONI, O., FIGUEROA, J. L., and PALAZOGLU, A., Robust controller design under highly structured uncertainty, 721

AGARWAL, R. K., *see* Shi, P.

AHMED-ALI, T., and LAMNABHI-LAGARRIGUE, F., Dynamical robust adaptive tracking for uncertain nonlinear systems, 921

BANDA, S., *see* Lin, Z.

BANJERDPONGCHAI, D., and HOW, J. P., Parametric robust H_2 control design with generalized multipliers via LMI synthesis, 481

BAŞER, U., and ELDEM, V., Almost diagonalization by dynamic output feedback with internal stability, 51

BERNSTEIN, D. S., *see* Sparks, A. G.

BETT, C., *see* Lemmon, M.

CAO, Y.-Y., and SUN, Y.-X., Static output feedback simultaneous stabilization: ILMI approach, 803

CHEN, T., *see* Shu, H.

CHERID, A., *see* Fiagbedzi, Y. A.

CHIEN, I.-L., *see* Hsiao, F.-H.

CHOTAI, A., YOUNG, P., MCKENNA, P., and TYCH, W., Proportional-integral-plus (PIP) design for delta (δ) operator systems. Part 2. MIMO systems, 149

CHOTAI, A., *see* Young, P.

DAVIES, R., and HALIKIAS, G. D., Hierarchical $\mathcal{H}_\infty/\mathcal{H}_2$ optimal control: 2-block problem, 965

DE JAGER, B., *see* van de Wal, M.

DE NICOLAO, G., and STRADA, S., Kalman filtering with mixed discrete–continuous observations, 71

DE SOUZA, C. E., *see* Xie, S.

DIAB, M., SREERAM, V., and LIU, W. Q., Frequency weighted identification and model reduction via extended impulse response Gramian, 103

ELDEM, V., *see* Başer, U.

FIAGBEDZI, Y. A., and CHERID, A., A perturbation approach to finite dimensional stabilization of time-lag systems, 789

FIGUEROA, J. L., *see* Agamennoni, O.

HALIKIAS, G. D., *see* Davies, R.

HAMMER, J., Handling disturbances in nonlinear control: the use of state feedback, 761

HEEMELS, W. P. M. H., VAN EIJNDHOVEN, S. J. L., and STOORVOGEL, A. A., Linear quadratic regulator problem with positive controls, 551

HENSON, M. A., *see* Kurtz, M. J.

HOW, J. P., *see* Banjerdpongchai, D.

HSIAO, F.-H., HWANG, J.-D., and CHIEN, I.-L., Stabilization of nonlinear large-scale systems by dithers, 203

HWANG, J.-D., *see* Hsiao, F.-H.

ICHIKAWA, A., *see* Wanyoike, G.

IMAI, H., TAKEGUCHI, T., and NOSE, K., Robust output regulation for linear systems with structured uncertainty and with unmeasurable controlled output by high gain observer approach, 505

JALALI, A. A., *see* Kim, H.

JIA, Q.-W., *see* Xu, J.-X.

JURY, E. I., *see* Meerov, M. V.

KARAMPETAKIS, N. P., *see* Mahmood, S.

KARCANIAS, N., *see* Leventides, J.

KATAYAMA, H., *see* Wanyoike, G.

KIM, H., JALALI, A. A., SIMS, C. S., and KIM, Y. C., Prediction, filtering, smoothing and deconvolution in a discrete H^∞ setting: a game theory approach, 841

KIM, Y. C., *see* Kim, H.

KIMURA, H., *see* Kongprawechnon, W.

KODAMA, S., *see* Takai, S.

KONGPRAWECHNON, W., and KIMURA, H., J-lossless factorization and H^∞ control for discrete-time systems, 423

KURTZ, M. J., and HENSON, M. A., Feedback linearizing control of discrete-time nonlinear systems with input constraints, 603

LAMNABHI-LAGARRIGUE, F., *see* Ahmed-Ali, T.

LEE, T. H., *see* Xu, J.-X.

LEITH, D. J., and LEITHEAD, W. E., Appropriate realisation of MIMO gain-scheduled controllers, 13

LEITH, D. J., and LEITHEAD, W. E., Gain-scheduled and nonlinear systems: dynamic analysis by velocity-based linearization families, 289

LEITH, D. J., and LEITHEAD, W. E., Gain-scheduled controller design: an analytic framework directly incorporating non-equilibrium plant dynamics, 249

LEITHEAD, W. E., *see* Leith, D. J.

LEMMON, M., and BETT, C., Safe implementations of supervisory commands, 271

LEVENTIDES, J., and KARCANIAS, N., The decentralized Markov parameters and the selection of control structures, 815

LEWIS, F. L., and PARISINI, T., Guest editorial: Neural network feedback control with guaranteed stability, 337

LIN, Z., PACHTER, M., and BANDA, S., Toward improvement of tracking performance—nonlinear feedback for linear systems, 1
LIU, W. Q., *see* Diab, M.
LU, X.-Y., and SPURGEON, S. K., Output feedback stabilization of SISO nonlinear systems via dynamic sliding modes, 735

MAHMOOD, S., KARAMPETAKIS, N. P., and PUGH, A. C., Solvability, reachability, controllability and observability of regular PMDs, 617
MÄKILÄ, P. M., On robust control-oriented identification of discrete and continuous-time systems, 319
MATSUO, T., and NAKANO, K., Robust stabilization of closed-loop systems by PID + Q controller, 631
MCKENNA, P., *see* Chotai, A.
MCKENNA, P., *see* Young, P.
MEARS, M. J., *see* Polycarpou, M. M.
MEEROV, M. V., and JURY, E. I., On aperiodicity robustness, 193

NAKANO, K., *see* Matsuo, T.
NOSE, K., *see* Imai, H.

PACHTER, M., *see* Lin, Z.
PALAZOGLU, A., *see* Agamennoni, O.
PARISINI, T., SANGUINETI, M., and ZOPPOLI, R., Nonlinear stabilization by receding-horizon neural regulators, 341
PARISINI, T., *see* Lewis, F. L.
PHILIPS, P., *see* van de Wal, M.
POLYCARPOU, M. M., and MEARS, M. J., Stable adaptive tracking of uncertain systems using nonlinearly parametrized on-line approximators, 363
PUGH, A. C., *see* Mahmood, S.

SADEGH, N., A multilayer nodal link perceptron network with least squares training algorithm, 385
SANGUINETI, M., *see* Parisini, T.
SANNER, R. M., and SLOTINE, J.-J. E., Structurally dynamic wavelet networks for adaptive control of robotic systems, 405
SHI, P., SHUE, S.-P., and AGARWAL, R. K., Robust disturbance attenuation with stability for a class of uncertain singularly perturbed systems, 873
SHIEH, L.-S., WANG, W.-M., and TSAI, J. S. H., Digital redesign of H_∞ controller via bilinear approximation method for state-delayed systems, 665
SHU, H., and CHEN, T., Robust digital design of power system stabilizers, 227
SHUE, S.-P., *see* Shi, P.
SIDERIS, A., *see* Yu, J.
SIMS, C. S., *see* Kim, H.
SLOTINE, J.-J. E., *see* Sanner, R. M.
SPARKS, A. G., and BERNSTEIN, D. S., Real robustness bounds using generalized stability multipliers, 651
SPURGEON, S. K., *see* Lu, X.-Y.
SREERAM, V., *see* Diab, M.
STOORVOGEL, A. A., *see* Heemels, W. P. M. H.
STRADA, S., *see* De Nicolao, G.
SUN, B.-C., and TAHK, M.-J., Controller reduction using a new invariant set, 447
SUN, Y.-X., *see* Cao, Y.-Y.

TAHK, M.-J., *see* Sun, B.-C.
TAKAI, S., and KODAMA, S., Characterization of all M-controllable subpredicates of a given predicate, 541
TAKEGUCHI, T., *see* Imai, H.
TOIVONEN, H. T., A mixed H_2/H_∞ control problem for sampled-data systems, 579
TSAI, J. S. H., *see* Shieh, L.-S.
TYCH, W., *see* Chotai, A.
TYCH, W., *see* Young, P.
TZAFESTAS, S. G., and TZAMTZI, M. P., Robustness of a spectral assignment method applied to a flexible beam, 859
TZAMTZI, M. P., *see* Tzafestas, S. G.

VAN DE WAL, M., PHILIPS, P., and DE JAGER, B., Actuator and sensor selection for an active vehicle suspension aimed at robust performance, 703
VAN EIJNDHOVEN, S. J. L., *see* Heemels, W. P. M. H.

WANG, D., WEN, C., WANG, Y., and ZHANG, N., Robust control for robots using auxiliary polynomials: theory and experiments, 523
WANG, M., *see* Xu, J.-X.
WANG, W.-M., *see* Shieh, L.-S.
WANG, Y., *see* Wang, D.
WANYOIKE, G., KATAYAMA, H., and ICHIKAWA, A., H_∞ control for systems with jumps, 941
WEN, C., *see* Wang, D.

XI, Y., *see* Zhang, J.
XIAOPING, L., Local disturbance decoupling of nonlinear singular systems, 685
XIE, L., *see* Xie, S.
XIE, S., XIE, L., and DE SOUZA, C. E., Robust dissipative control for linear systems with dissipative uncertainty, 169
XIONG, K., An approach of a Lurie-type Lyapunov function for multi-machine power systems with transfer conductances, 469
XU, J.-X., LEE, T. H., JIA, Q.-W., and WANG, M., On adaptive robust backstepping control schemes suitable for PM synchronous motors, 893

YOUNG, P., CHOTAI, A., MCKENNA, P., and TYCH, W., Proportional-integral-plus (PIP) design for delta (δ) operator systems. Part 1. SISO systems, 123
YOUNG, P., *see* Chotai, A.
YU, J., and SIDERIS, A., H_∞ control synthesis via reduced-order LMIs, 85

ZHANG, J., and XI, Y., Brief Communication: Some GPC stability results, 831
ZHANG, N., *see* Wang, D.
ZOPPOLI, R., *see* Parisini, T.